



British Hardwood

External timber cladding

Dimensions mm	British oak	British oak Finger Jointed	British sweet chestnut	British sweet chestnut Finger jointed	British elm
------------------	-------------	-------------------------------	---------------------------	---	-------------

Green timber sawn to square edge

25 x 100	2.34		2.17		3.26
25 x 125	2.92		2.72		4.07
25 x 150	3.64		3.53		4.89
25 x 175	4.86		4.66		

Priced per metre. Minimum quantity 100mts. + 10% for orders less than 100mts

For a regularised finish add £0.60/mt

Green timber sawn to feather edge

4-18 x 100	1.23	1.55 A/D	POA	1.45 A/D	POA
4-18 x 125	1.55	2.05 A/D	POA	1.95 A/D	POA
4-18 x 150	2.00	2.65 A/D	POA	2.55 A/D	POA
6-23 x 150	3.05		POA		POA
6-23 x 175	3.54		POA		POA
6-23 x 200	4.03		POA		POA

Priced per metre. Minimum quantity 150mts

The first two measurements relate to the thickness of the two long edges

Green timber sawn one waney edge / one square edge

19mm	14.50				17.60
25mm	19.40				23.50

Priced per square metre, based on board measure. Minimum quantity 20M2

To estimate the quantity required, measure the area and add 30% to allow for overlap

Air dried timber machined to: PAR, Shiplap, Halflap, PTGV, Splayed

20 x 95	3.30	3.10	3.35	2.90	
20 x 120	4.42	4.10	4.65	3.90	
20 x 145	5.60	5.30	5.95	5.10	

Priced per metre. Minimum quantity 100mts

Coverage of boards approx 10mm less than total width given above.

All sizes given in mm

Cladding is supplied in random lengths. Finger jointed cladding supplied in set lengths 3.0 - 6.0mt

All prices subject to VAT @ 15%

Wootton Bassett: 01793 853281

Studley: 01249 813173

www.vastern.co.uk
